

LMDC - Publications internationales 2013

Pôle 1

- Aubert J.-E., Escadeillas G., Leklou N., Five year monitoring of curing solutions of heat-cured mortars affected by delayed ettringite formation, *Advances in Cement Research*, Vol. 5 (3), 155-163, 2013
- Aubert J.-E., Fabbri A., Morel J.-C., Maillard P., An earth block with a compressive strength higher than 45 MPa!, *Construction and Building Materials*, Vol. 47, 366-369, 2013
- Cassagnabère F., Diederich P., Mouret M., Escadeillas G., Lachemi M., Impact of metakaolin characteristics on the rheological properties of mortar in the fresh state, *Cement & Concrete Composites*, Vol. 37, 95-107, 2013
- Cyr M., Trinh M., Husson B., Casaux-Ginestet G., Design of eco-efficient grouts intended for soil nailing, *Construction and Building Materials*, Vol. 41, 857-867, 2013
- Diederich P., Mouret M., Ponchon F., Simple tools for achieving self-compacting ability of concrete according to the nature of the limestone filler, *Construction and Building Materials*, Vol. 48, 840-852, Nov. 2013
- Fritih Y., Vidal T., Turatsinze A., Pons G., Flexural and shear behavior of steel fiber reinforced SCC beams, *KSCCE Journal of Civil Engineering*, Vol. 17 (6), 1383-1393, 2013
- Hameed R., Sellier A., Turatsinze A., Duprat F., Metallic fiber-reinforced concrete behaviour: Experiments and constitutive law for finite element modeling, *Engineering Fracture Mechanics*, Vol. 103, SI, 124-131, 2013
- Hameed R., Turatsinze A., Duprat F., Sellier A., Bond stress-slip behaviour of steel reinforcing bar embedded in hybrid fiber-reinforced concrete, *KSCCE Journal of Civil Engineering*, Vol. 17 (7), 1700-1707, 2013
- Hamidi M., Kacimi L., Cyr M., Clastres P., Evaluation and improvement of pozzolanic activity of andesite for its use in eco-efficient cement, *Construction and Building Materials*, Vol. 47, 1268-1277, 2013
- Idir R., Cyr M., Tagnit-Hamou A., Role of the nature of reaction products in the differing behaviours of fine glass powders and coarse glass aggregates used in concrete, *Materials & Structures*, Vol. 46, 233-243, 2013
- Ladaoui W., Vidal T., Sellier A., Bourbon X., Analysis of interactions between damage and basic creep of HPC and HPFRC heated between 20 and 80°C, *Materials & Structures*, Vol. 46, 13-23, 2013
- Mansour M.-S., Abadlia M.-T., Afalfiz A., Ladaoui W., Rheology of mortar and concrete containing mineral admixtures, *Cement Wapno Beton*, Vol. 18 (5), 264, 2013
- Martinez T., Dompont D., Bertron A., Escadeillas G., Ringot E., Photocatalytic coatings for building materials: degradation of NO_x and inhibition of algal growth, *International Journal of Restoration, Repair and Renewal of Built Environment*, Vol. 4 (1), 520-533, 2013
- Morel J.-C., Aubert J.-E., Millogo Y., Hamard E., Fabbri A., Some observations about the paper "Earth construction: Lessons from the past for future eco-efficient construction" by F. Pacheco-Torgal and S. Jalali, *Construction and Building Materials*, Vol. 44, 419-421, 2013

- Ranaivomanana N., Multon S., Turatsinze A., Basic creep of concrete under compression, tension and bending, *Construction and Building Materials*, Vol. 38, 173-180, 2013
- Ranaivomanana N., Multon S., Turatsinze A., Tensile, compressive and flexural basic creep of concrete at different stress levels, *Cement & Concrete Research*, Vol. 52, 1-10, 2013
- San Nicolas R., Cyr M., Escadeillas G., Characteristics and applications of flash métakaolins, *Applied Clay Science*, Vol. 83-84, 253-262, 2013
- Segui P., Aubert J.-E., Husson B., Measson M., Utilization of a natural pozzolan as the main component of hydraulic road binder, *Construction and Building Materials*, Vol. 40, 217-223, 2013
- Segui P., Aubert J.-E., Husson B., Measson M., Valorization of wastepaper sludge ash as main component of hydraulic road binder, *Waste and Biomass Valorization*, Vol. 4, 297-307, 2013
- Toumi A., Nguyen T.-H., Turatsinze A., Debonding of a thin rubberised and fibre-reinforced cement-based repairs: Analytical and experimental study, *Materials and Design*, Vol. 49, 90-95, 2013
- Toumi A., Nguyen T.-H., Turatsinze A., Benefits of low modulus of elasticity and of fibre reinforcement of cement based mortars as thin bonded Overlay Materials, *Experimental mechanics*, Vol. 53 (9), 1791-1797, 2013
- Tribout C., Husson B., Percolation as a single test to assess pollution potential of a waste, *Environmental Technology*, Vol. 34 (8), 1069-1076, 2013

Pôle 2

- Alquier M., Kassim C., Bertron A., Sablayrolles C., Albrecht A., Albasi C., Basseguy R., Erable B., Nitrate reducing bacterial activity in concrete cells of nuclear waste repositories, *European Physical Journal Web of Conference*, Vol. 56, n°01003, 2013
- Bertron A., Jacquemet N., Erable B., Sablayrolles C., Escadeillas G., Albrecht A., Physico-chemical interactions at the concrete-bitumen interface of nuclear waste repositories, *European Physical Journal Web of Conference*, Vol. 56, n°01002, 2013
- Boher C., Frizon F., Lorente S., Bart F., Influence of the pore network on hydrogen diffusion through blended cement pastes, *Cement & Concrete Composites*, Vol. 37, 30-36, 2013
- Duprat F., Vu N.T., A probabilistic threshold for the onset of carbonation-induced corrosion, *European Journal of Environmental and Civil Engineering*, Vol. 17 (6), 478-495, 2013
- Gao X.-X., Cyr M., Multon S., Sellier A., A three-step method for the recovery of aggregates from concrete, *Construction and Building Materials*, Vol. 45, 262-269, 2013
- Gao X.-X., Cyr M., Multon S., Sellier A., A comparison of methods for chemical assessment of reactive silica in concrete aggregates by selective dissolution, *Cement & Concrete Composites*, Vol. 37, 82-94, 2013
- Gao X.-X., Multon S., Cyr M., Sellier A., Alkali-silica reaction (ASR) expansion: Pessimism effect versus scale effect, *Cement & Concrete Research*, Vol. 44, 25-33, 2013
- Horkoss S., Julien S., Escadeillas G., Lteif R., Rizk T., Influence of clinker sulfate on cement paste external sulfate attack, *Advances in Cement Research*, Vol. 25 (4), 217-224, 2013

- Leklou N., Aubert J.-E., Escadeillas G., Influence of various parameters on heat-induced internal sulphate attack, *European Journal of Environmental and Civil Engineering*, Vol. 17 (3), 141-153, 2013
- Mercado-Mendoza H., Lorente S., Bourbon X., The diffusion coefficient of ionic species through unsaturated materials, *Transport in Porous Media*, Vol. 96 (3), 469-481, Feb. 2013
- Nguyen V.H., Leklou N., Aubert J.-E., Mounanga P., The effect of natural pozzolan on delayed ettringite formation of the heat-cured mortars, *Construction and Building Materials*, Vol. 48, 479-484, 2013
- Perlot C., Carcasses M., Verdier J., Diffusivity evolution under decalcification: influence of aggregate natures and cement type, *Materials & Structures*, Vol. 46 (5), 787-801, 2013
- Ranaivomanana H., Verdier J., Sellier A., Bourbon X., Prediction of relative permeabilities and water vapor diffusion reduction factor for cement-based materials, *Cement & Concrete Research*, Vol. 48, 53-63, 2013
- Ranaivomanana H., Verdier J., Sellier A., Bourbon X., Sealing process induced by carbonation of localized cracks in cementitious materials, *Cement & Concrete Composites*, Vol. 37, 37-46, 2013
- Sellier A., Casaux-Ginestet G., Buffo-Lacarrière L., Bourbon X., Orthotropic damage coupled with localized crack reclosure processing. Part I: Constitutive laws, *Engineering Fracture Mechanics*, Vol. 97, 148-167, 2013
- Sellier A., Casaux-Ginestet G., Buffo-Lacarrière L., Bourbon X., Orthotropic damage coupled with localized crack reclosure processing. Part II: Applications, *Engineering Fracture Mechanics*, Vol. 97, 168-185, 2013
- Siad H., Kamali-Bernard S., Mesbah H.-A., Escadeillas G., Mouli M., Khelafi H., Characterization of the degradation of self-compacting concretes in sodium sulfate environment: Influence of different mineral admixtures, *Construction and Building Materials*, Vol. 47, 1188-1200, 2013
- Wattez T., Duhart-Barone A., Lorente S., Modeling of Nuclear Species Diffusion Through Cement-Based Materials, *Transport In Porous Média*, Vol. 98 (3), 699-712, 2013

Pôle 3

- Al-Mahmoud F., Castel A., François R., Modelling of flexural behaviour of RC beams strengthened with NSM CFRP rods including serviceability, *European Journal of Environmental and Civil Engineering*, Vol. 17 (7), 532-553, 2013
- Bouache T., Ginestet S., Liman K., Lindner G., Bosschaerts W., Identification of thermal characteristics of a building, *Energy Procedia*, Vol. 42, 280-288, 2013
- Castel A., François R., Calculation of the Overall Stiffness and Irreversible Deflection of Cracked Reinforced Concrete Beams, *Advances in Structural Engineering*, Vol. 16, n°12, 2013
- Collectif (donc 5 LMDC), Experimental investigation of the variability of concrete durability properties, *Cement & Concrete Research*, Vol. 45, 21-36, 2013

- Dang V.-H., François R., L'Hostis V., Effects of pre-cracks on both initiation and propagation of re-bar corrosion in pure carbon dioxide, *European Physical Journal Web of Conference*, Vol. 56, n°06006, 2013
- Dang V.-H., François R., Influence of long-term corrosion in chloride environment on mechanical behaviour of RC beam, *Engineering Structures*, Vol. 48, 558-568, 2013
- Domède N., Sellier A., Stablon T., Structural analysis of a multi-span railway masonry bridge combining in situ observations, laboratory tests and damage modeling, *Engineering Structures*, Vol. 56, 837–849, Nov. 2013
- François R., Khan I., Dang V.-H., Impact of corrosion on mechanical properties of steel embedded in 27-year-old corroded reinforced concrete beams, *Materials & Structures*, Vol. 46 (6), 899-910, 2013
- Mequignon M., Adolphe L., Thellier F., Ait Haddou H., Impact of the lifespan of building external walls on greenhouse gas index, *Building and Environment*, Vol. 59, 654-661, 2013
- Mequignon M., Haddou H.-A., Thellier F., Bonhomme M., Greenhouse gases and building lifetimes, *Building and Environment*, Vol. 68, 77-86, 2013
- Zhu W., François R., Coronelli D., Cleland D., Effect of corrosion of reinforcement on the mechanical behaviour of highly corroded RC beams, *Engineering Structures*, Vol. 56, 544–554, 2013
- Zhu W., François R., Effect of corrosion pattern on the ductility of tensile reinforcement extracted from a 26-year-old corroded beam, *Advances in Concrete Construction*, Vol. 1 (2), 121-137, 2013

Hors Pôile

- Alalaimi M., Lorente S., Anderson R., Bejan A., Effect of size on ground-coupled heat pump performance, *International Journal of Heat and Mass Transfer*, Vol. 64, 115-121, 2013
- Bejan A., Lorente S., Kang D.-H., Constructal design of regenerators, *International Journal of Energy Research*, Vol. 37 (12), 1509-1518, Oct. 2013
- Bejan A., Lorente S., Yilbas B.-S., Sahim A.-Z., Why solidification has an S-shaped history, *Scientific Reports*, Vol. 3, n°1711, 2013
- Bejan A., Lorente S., Constructal law of design and evolution: Physics, biology, technology, and society, *Journal of Applied Physics*, Vol. 113 (15), n°151301, 2013
- Bejan A., Lorente S., Stepping on the water, *Mechanical Engineering*, Vol. 135, 38-41, 2013
- Bello-Ochende T., Olakoyejo O.-T., Meyer J.-P., Bejan A., Lorente S., Constructal flow orientation in conjugate cooling channels with internal heat generation, *International Journal of Heat and Mass Transfer*, Vol. 57, 241-249, 2013
- Cetkin E., Lorente S., Bejan A., Constructal paddle design with "fingers", *Journal of Applied Physics*, Vol. 113 (19), n°194902, 2013
- Errera M.-R., Lorente S., Anderson R., Bejan A., One underground heat exchanger for multiple heat pumps, *International Journal of Heat and Mass Transfer*, Vol. 65, 727-738, 2013

- Kang D.-H., Lorente S., Bejan A., Constructal distribution of multi-layer insulation, *International Journal of Energy Research*, Vol. 37 (2), 153-160, Feb. 2013
- Kobayashi H., Lorente S., Anderson R., Bejan A., Underground heat flow patterns for dense neighborhoods with heat pumps, *International Journal of Heat and Mass Transfer*, Vol. 62, 632-637, 2013
- Kobayashi H., Lorente S., Bejan A., Trees and serpentine in a conducting body, *International Journal of Heat and Mass Transfer*, Vol. 56 (1-2), 488-494, Jan. 2013
- Lee J., Kim Y., Lorente S., Bejan A., Constructal design of a comb-like channel network for self-healing and self-cooling, *International Journal of Heat and Mass Transfer*, Vol. 66, 898-905, 2013
- Lorente S., Lee J., Kim Y., Bejan A., Power from a hot gas with multiple superheaters and reheaters, *International Journal of Heat and Mass Transfer*, Vol. 67, 153-158, 2013
- Lui C.-H., Fong N.-K., Lorente S., Bejan A., Chow W.-K., Constructal design of pedestrian evacuation from an area, *Journal of Applied Physics*, Vol. 113, n°034904, 2013